

PATLITE®

REACH-SVHC STATEMENT

Company Name: PATLITE Corporation

Company Address: 4-1-3, Kyutaromachi, Chuo-ku, Osaka
541-0056 JAPAN

Contact Person: Yugo Hara

E-mail: yugo.hara@patlite.co.jp


Telephone: +81 6 7711-8953

P/N: See attached report (E40-1169-003)

This letter is to assure that the above-mentioned product(s) made from above-mentioned company meet the following requirements (**please select one**) of the latest REACH Substances of Very High Concern (SVHC) per Europe Union (EU) Regulation 1907/2006.

- ☐ Do Not Contain any REACH SVHC substances
- ☒ May contain REACH SVHC substances but meet the requirements of EU Regulation 1907/2006

The latest **240** substances restricted per the REACH Regulation were **last updated on January 23, 2024**. Please refer to the following for the most current candidate list of substances:
<http://echa.europa.eu/candidate-list-table>.

Signature: 

Name: Yuichiro Nagayama

Title: General Manager Date: 28 Feb. 2024

SVHC240 substance investigation report as defined by REACH regulation

Document number	E40-1169-003
Corporation name	Patlite Corporation
Department in charge	Technological management Dept.
Confirmation person	Kentaro Kawakami
The date of confirmation	2024/2/22

NO.	Item Number	SVHC Contained ?	Details of the chemical substance used				
			Chemical Substance	CASNO.	Weight of Content (mg)	Maximum content rate per article (wt%)	Purpose of usage
1	ADP-001	Yes	1,4-Dioxane	123-91-1	2.63	0.24	Solvent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.391	0.24	Photoinitiator
			Lead	7439-92-1	457	0.24	High melting temperature type solders
2	ADP-001C	Yes	1,4-Dioxane	123-91-1	2.63	0.24	Solvent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.391	0.24	Photoinitiator
			Lead	7439-92-1	479	0.24	High melting temperature type solders
			Lead	7439-92-1	479	0.95	Improved free cutting
			bisphenol A	80-05-7	30.1	0.27	Polyvinyl chloride stabilizer
3	BSV-24P-D	Yes	Anti oxidant 2246	119-47-1	0.571	0.14	plastic antioxidant
			Lead titanium zirconium oxide	12626-81-2	0.79	6.73	Semiconductor main component
			Lead	7439-92-1	6.11	5.96	High melting temperature type solders
4	BSV-24P-S	Yes	Anti oxidant 2246	119-47-1	0.571	0.14	plastic antioxidant
			Lead titanium zirconium oxide	12626-81-2	0.79	6.73	Semiconductor main component
			Lead	7439-92-1	6.11	5.96	High melting temperature type solders
5	BSV-24P-W	Yes	Anti oxidant 2246	119-47-1	0.571	0.14	plastic antioxidant
			Lead titanium zirconium oxide	12626-81-2	0.79	6.73	Semiconductor main component
			Lead	7439-92-1	6.11	5.96	High melting temperature type solders
6	CLA1S-24A-CD-30	Yes	Lead	7439-92-1	0.666	0.54	High melting temperature type solders
7	CLA2S-24A-CD-30	Yes	Lead	7439-92-1	0.666	0.54	High melting temperature type solders
8	CLA3S-24A-CD	Yes	Lead	7439-92-1	0.666	0.54	High melting temperature type solders
9	CLA3S-24A-CD-30	Yes	Lead	7439-92-1	0.666	0.54	High melting temperature type solders
10	CLA6S-24A-CD-30	Yes	Lead	7439-92-1	1.4	0.54	High melting temperature type solders
11	CLA9S-24A-CD	Yes	Lead	7439-92-1	2.14	0.54	High melting temperature type solders
12	CLA9S-24A-CD-30	Yes	Lead	7439-92-1	2.14	0.54	High melting temperature type solders
13	CLK3C-24AG-CD	Yes	Lead	7439-92-1	34.7	19.4	High melting temperature type solders
14	CLK6C-24AG-CD	Yes	Lead	7439-92-1	69.3	19.4	High melting temperature type solders
15	CLN-24A-CD-PT	Yes	Lead	7439-92-1	263	19.4	High melting temperature type solders
						2.91	Improved free cutting
16	CLN-24A-CD-T	Yes	Lead	7439-92-1	263	19.4	High melting temperature type solders
						2.91	Improved free cutting
17	CWA3S-24-CD	Yes	Lead	7439-92-1	3.88	3.88	High melting temperature type solders
18	CWA6S-24-CD	Yes	Lead	7439-92-1	3.88	3.88	High melting temperature type solders
19	CWA9S-24-CD	Yes	Lead	7439-92-1	19.6	2.66	Improved free cutting
20	CWK2S-24-CD	Yes	Lead	7439-92-1	263	20	High melting temperature type solders
						2.91	Improved free cutting
21	CWK3C-24-CD+FL008	Yes	Lead	7439-92-1	34.6	20	High melting temperature type solders
22	CWK3S-24-CD	Yes	Lead	7439-92-1	263	20	High melting temperature type solders
						2.91	Improved free cutting
23	CWK6S-24-CD	Yes	Lead	7439-92-1	298	20	High melting temperature type solders
						2.91	Improved free cutting
24	EHS-M1TE	Yes	Lead	7439-92-1	241	5.96	High melting temperature type solders
						3.66	Improved free cutting
25	EHV-M1TG	Yes	Lead	7439-92-1	262	5.96	High melting temperature type solders
						3.66	Improved free cutting

26	HSST-3M2N-RYG+FB278	Yes	1,4-Dioxane	123-91-1	2.63	0.24	Solvent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.396	0.24	Photoinitiator
			Lead	7439-92-1	594	19.4	High melting temperature type solders
27	LA6-3DLJWB-RYG	Yes				0.22	Improved free cutting
			Dodecamethylcyclotetrasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	268	19.4	High melting temperature type solders
28	LA6-3DTNWB-RYG	Yes	Lead	7439-92-1	59	0.22	Improved free cutting
29	LA6-3DTNUN-RYG	Yes	Lead	7439-92-1	50.4	19.4	High melting temperature type solders
30	LA6-3DTNWB-RYG	Yes	Lead	7439-92-1	59	19.4	High melting temperature type solders
31	LA6-5DSNWB-POE	Yes	Lead	7439-92-1	191	19.4	High melting temperature type solders
						3.7	Improved free cutting
32	LA6-5DTNWB-RYGBC	Yes	Lead	7439-92-1	59	19.4	High melting temperature type solders
33	LA6-5DTNUN-RYGBC	Yes	Lead	7439-92-1	50.4	19.4	High melting temperature type solders
34	LA6-5DTNWB-POE	Yes	Lead	7439-92-1	131	19.4	High melting temperature type solders
						3.41	Improved free cutting
35	LA6-5DTNWB-RYGBC	Yes	Lead	7439-92-1	59	19.4	High melting temperature type solders
36	LB6-20ILWCBW	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	89.1	20.1	High melting temperature type solders
						0.28	Improved free cutting
37	LB6-20ILWCNW	Yes	Lead	7439-92-1	84	19.4	High melting temperature type solders
						0.28	Improved free cutting
38	LB6-BW	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	5.13	20.1	High melting temperature type solders
39	LFH-24-R	Yes	Octamethylcyclotetrasiloxane (D4)	556-67-2	35	0.99	Rubber component
			Lead	7439-92-1	126	20	High melting temperature type solders
			bisphenol A	80-05-7	69	0.1	Polyvinyl chloride stabilizer
40	LFH-24-Y	Yes	Octamethylcyclotetrasiloxane (D4)	556-67-2	35	0.99	Rubber component
			Lead	7439-92-1	126	20	High melting temperature type solders
			bisphenol A	80-05-7	69	0.1	Polyvinyl chloride stabilizer
41	LPT-2M1-R	Yes	Octamethylcyclotetrasiloxane (D4)	556-67-2	49	0.22	Rubber component
			2-Methyl-1H-imidazole	693-98-1	4.4	0.22	Epoxy resin curing agent
			Lead	7439-92-1	224	0.22	High melting temperature type solders
42	LR10-001	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	0.66	0.8	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	0.42	0.8	Rubber component
43	LR10-102WJBW-G	Yes	Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			Lead	7439-92-1	70.8	20.1	High melting temperature type solders
44	LR10-102WJBW-R	Yes	Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			Lead	7439-92-1	70.8	20.1	High melting temperature type solders
45	LR10-102WJNW-G	Yes	Lead titanium zirconium oxide	12626-81-2	1.58	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			Lead	7439-92-1	59.1	20.1	High melting temperature type solders

46	LR10-102WJNW-R	Yes	Lead titanium zirconium oxide	12626-81-2	1.58	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			Lead	7439-92-1	59.1	20.1	High melting temperature type solders
47	LR10-102WJNW-Y	Yes	Lead titanium zirconium oxide	12626-81-2	1.58	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			Lead	7439-92-1	59.1	20.1	High melting temperature type solders
48	LR10-1M2WJBW-G	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	78.9	20.1	High melting temperature type solders
49	LR10-1M2WJBW-R	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	78.9	20.1	High melting temperature type solders
50	LR10-1M2WJNW-G	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	1.58	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	67.2	20.1	High melting temperature type solders
51	LR10-1M2WJNW-R	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	1.58	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	122	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	122	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	122	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	67.2	20.1	High melting temperature type solders
52	LR10-202WJBW-RG	Yes	Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	136	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	136	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	136	1.49	Rubber component
			Lead	7439-92-1	79.5	20.1	High melting temperature type solders
53	LR10-202WJNW-RG	Yes	Lead titanium zirconium oxide	12626-81-2	2.37	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	136	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	136	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	136	1.49	Rubber component
			Lead	7439-92-1	67.8	20.1	High melting temperature type solders
54	LR10-2M2WJBW-RG	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	136	1.49	Rubber component
			Decamethylcyclotetrasiloxane (D5)	541-02-6	136	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	136	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	87.7	20.1	High melting temperature type solders

55	LR10-2M2WJNW-RG	Yes	2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	2.37	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	136	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	136	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	136	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	76	20.1	High melting temperature type solders
56	LR10-302WJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	150	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	150	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	150	1.49	Rubber component
			Lead	7439-92-1	88.2	20.1	High melting temperature type solders
57	LR10-302WMNW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	3.16	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	150	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	150	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	150	1.49	Rubber component
			Lead	7439-92-1	319	20.1	High melting temperature type solders
						0.65	Improved free cutting
58	LR10-3M2WJBW-RYG	Yes	2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	2210	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	150	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	150	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	150	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	96.4	20.1	High melting temperature type solders
59	LR10-3M2WJNW-RYG	Yes	2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.03	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	3.16	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	150	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	150	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	150	1.49	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.03	Photoinitiator
			Lead	7439-92-1	84.7	20.1	High melting temperature type solders
60	LR10-BW	Yes	Lead titanium zirconium oxide	12626-81-2	2200	47.8	Semiconductor main component
			Lead	7439-92-1	11.7	20.1	High melting temperature type solders
61	LR10-BW-2	Yes	Lead titanium zirconium oxide	12626-81-2	2200	47.8	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	0.655	0.8	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	0.415	0.8	Rubber component
			Lead	7439-92-1	11.7	20.1	High melting temperature type solders
62	LR10-E-G	Yes	Lead titanium zirconium oxide	12626-81-2	0.79	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	14.4	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	14.4	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	14.4	1.49	Rubber component
			Lead	7439-92-1	8.73	20.1	High melting temperature type solders
63	LR10-E-R	Yes	Lead titanium zirconium oxide	12626-81-2	0.79	6.73	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	14.4	1.49	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	14.4	1.49	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	14.4	1.49	Rubber component
			Lead	7439-92-1	8.73	20.1	High melting temperature type solders
64	LR4-02LJNU	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	125	19.4	High melting temperature type solders
						0.22	Improved free cutting

65	LR4-02LJNW	Yes	Dodecamethylcyclohexasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	125	19.4	High melting temperature type solders
						0.22	Improved free cutting
66	LR4-02PJNU	Yes	Dodecamethylcyclohexasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
67	LR4-02QJNW	Yes	Lead	7439-92-1	33.9	19.4	High melting temperature type solders
			imidazolidine-2-thione	96-45-7	40	0.94	Vulcanization accelerator
68	LR4-02WCNW	Yes	Lead	7439-92-1	488	19.4	High melting temperature type solders
						1.9	Improved free cutting
69	LR4-02WJNU	Yes	Dodecamethylcyclohexasiloxane	540-97-6	5.77	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.77	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.77	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
70	LR4-02WJNW	Yes	Dodecamethylcyclohexasiloxane	540-97-6	5.77	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.77	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.77	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
71	LR4-202LJBW-RG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclohexasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	151	20.1	High melting temperature type solders
0.22	Improved free cutting						
72	LR4-302LJBU-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclohexasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	155	20.1	High melting temperature type solders
0.22	Improved free cutting						
73	LR4-302LJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclohexasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	155	20.1	High melting temperature type solders
0.22	Improved free cutting						
74	LR4-302LJNU-RYG	Yes	Dodecamethylcyclohexasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	137	19.4	High melting temperature type solders
0.22	Improved free cutting						
75	LR4-302LJNW-RYG	Yes	Dodecamethylcyclohexasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	137	19.4	High melting temperature type solders
0.22	Improved free cutting						
76	LR4-302PJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclohexasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders

77	LR4-302QJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders
			imidazolidine-2-thione	96-45-7	40	0.94	Vulcanization accelerator
78	LR4-302QJNW-RYG	Yes	Lead	7439-92-1	45.9	19.4	High melting temperature type solders
			imidazolidine-2-thione	96-45-7	40	0.94	Vulcanization accelerator
79	LR4-302WJBU-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	5.77	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.77	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.77	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders
80	LR4-302WJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	5.77	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.77	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.77	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders
81	LR4-302WJNU-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	5.77	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.77	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.77	1.48	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
82	LR4-302WJNW-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	5.77	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.77	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.77	1.48	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
83	LR4-402LJBW-RYGB	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	159	20.1	High melting temperature type solders
						0.22	Improved free cutting
84	LR4-BU	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
85	LR4-BW	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
86	LR4-E-B	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
87	LR4-E-BZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
88	LR4-E-C	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
89	LR4-E-G	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
90	LR4-E-GZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
91	LR4-E-R	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
92	LR4-E-RZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
93	LR4-E-Y	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
94	LR4-E-YZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
95	LR5-02KTNK	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
96	LR5-02KTNU	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
97	LR5-02KTNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders

98	LR5-02LJNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	125	19.4	High melting temperature type solders
						0.22	Improved free cutting
99	LR5-02PJNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
100	LR5-02WJNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
101	LR5-02WTNK	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
102	LR5-02WTNU	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
103	LR5-02WTNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
104	LR5-102WJNW-R	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	37.9	19.4	High melting temperature type solders
105	LR5-202WJBW-RY	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	59.1	20.1	High melting temperature type solders
106	LR5-302PJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders
107	LR5-502WJNW-RYGBC	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.48	Rubber component
			Lead	7439-92-1	53.8	19.4	High melting temperature type solders
108	LR5-BK	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
109	LR5-BU	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
110	LR5-BW	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
111	LR5-E-B	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
112	LR5-E-C	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
113	LR5-E-G	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
114	LR5-E-R	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
115	LR5-E-Y	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders

116	LR6-02LJNU	Yes	Dodecamethylcyclohexasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
			Lead	7439-92-1	125	19.4	High melting temperature type solders
						0.22	Improved free cutting
117	LR6-02LJNW	Yes	Lead	7439-92-1	125	19.4	High melting temperature type solders
						0.22	Improved free cutting
118	LR6-02PJNU	Yes	Dodecamethylcyclohexasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
119	LR6-02PJNW	Yes	Dodecamethylcyclohexasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
120	LR6-02WCNW	Yes	Lead	7439-92-1	488	19.4	High melting temperature type solders
						1.9	Improved free cutting
121	LR6-02WCNW+FB295	Yes	Dodecamethylcyclohexasiloxane	540-97-6	11	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11	1.51	Rubber component
			Lead	7439-92-1	277	19.4	High melting temperature type solders
						0.65	Improved free cutting
122	LR6-02WJNU	Yes	Dodecamethylcyclohexasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
123	LR6-02WJNW	Yes	Dodecamethylcyclohexasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
124	LR6-02WMNW	Yes	Dodecamethylcyclohexasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	488	19.4	High melting temperature type solders
						1.9	Improved free cutting
125	LR6-02WMNW+FB295	Yes	Dodecamethylcyclohexasiloxane	540-97-6	5.97	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.96	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.96	1.51	Rubber component
			Lead	7439-92-1	277	19.4	High melting temperature type solders
						0.65	Improved free cutting
126	LR6-102WCBW-R+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclohexasiloxane	540-97-6	13	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13	1.51	Rubber component
			Lead	7439-92-1	298	20.1	High melting temperature type solders
0.65	Improved free cutting						
127	LR6-102WCNW-R+FB295	Yes	Dodecamethylcyclohexasiloxane	540-97-6	13	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13	1.51	Rubber component
			Lead	7439-92-1	281	19.4	High melting temperature type solders
						0.65	Improved free cutting

128	LR6-102WMBW-R+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	7.96	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	7.94	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	7.94	1.51	Rubber component
			Lead	7439-92-1	298	20.1	High melting temperature type solders
						0.65	Improved free cutting
129	LR6-102WMNW-R+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	7.96	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	7.94	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	7.94	1.51	Rubber component
			Lead	7439-92-1	281	19.4	High melting temperature type solders
						0.65	Improved free cutting
130	LR6-202WCBW-RG+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	15	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15	1.51	Rubber component
			Lead	7439-92-1	302	20.1	High melting temperature type solders
						0.65	Improved free cutting
131	LR6-202WCNW-RG+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	15	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15	1.51	Rubber component
			Lead	7439-92-1	285	19.4	High melting temperature type solders
						0.65	Improved free cutting
132	LR6-202WJBW-RG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	59.1	20.1	High melting temperature type solders
						0.65	Improved free cutting
133	LR6-202WMBW-RG+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	9.95	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.93	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.93	1.51	Rubber component
			Lead	7439-92-1	302	20.1	High melting temperature type solders
						0.65	Improved free cutting
134	LR6-202WMNW-RG+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	9.95	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.93	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.93	1.51	Rubber component
			Lead	7439-92-1	285	19.4	High melting temperature type solders
						0.65	Improved free cutting
135	LR6-302LJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	155	20.1	High melting temperature type solders
						0.22	Improved free cutting
136	LR6-302LJNW-RYG	Yes	Lead	7439-92-1	137	19.4	High melting temperature type solders
						0.22	Improved free cutting
137	LR6-302PJBU-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders
138	LR6-302PJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders

139	LR6-302PJNU-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
140	LR6-302PJNW-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
141	LR6-302QJNW-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	6.92	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	6.92	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	6.92	1.47	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
			imidazolidine-2-thione	96-45-7	40	0.94	Vulcanization accelerator
142	LR6-302WCBW-RYG+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	17	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	16.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	16.9	1.51	Rubber component
			Lead	7439-92-1	306	20.1	High melting temperature type solders
143	LR6-302WCNW-RYG	Yes	Lead	7439-92-1	500	0.65	Improved free cutting
						19.4	High melting temperature type solders
144	LR6-302WCNW-RYG+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	17	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	16.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	16.9	1.51	Rubber component
			Lead	7439-92-1	289	19.4	High melting temperature type solders
			Lead	7439-92-1	289	0.65	Improved free cutting
145	LR6-302WJBU-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders
146	LR6-302WJBW-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	63.1	20.1	High melting temperature type solders
147	LR6-302WJNU-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
148	LR6-302WJNW-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
149	LR6-302WMBW-RYG+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.51	Rubber component
			Lead	7439-92-1	306	20.1	High melting temperature type solders
150	LR6-302WMNW-RYG+FB295	Yes	Lead	7439-92-1	289	0.65	Improved free cutting
						19.4	High melting temperature type solders
			Octamethylcyclotetrasiloxane (D4)	556-67-2	11.9	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	11.9	1.51	Rubber component
			Dodecamethylcyclotetrasiloxane	540-97-6	11.9	1.51	Rubber component

151	LR6-3M2PJBW-RYG	Yes	2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.06	UV curing agent
			Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	18.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.8	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.06	Photoinitiator
			Lead	7439-92-1	80.7	20.1	High melting temperature type solders
152	LR6-3USBK-RYG	Yes	Lead titanium trioxide	12060-00-3	1.26	6.3	Semiconductor main component
			Lead	7439-92-1	13.3	4.28	High melting temperature type solders
153	LR6-3USBW-RYG	Yes	Lead titanium trioxide	12060-00-3	1.26	6.3	Semiconductor main component
			Lead	7439-92-1	13.3	4.28	High melting temperature type solders
154	LR6-402WCBW-RYGB+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	19	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.9	1.51	Rubber component
			Lead	7439-92-1	310	20.1	High melting temperature type solders
						0.65	Improved free cutting
155	LR6-402WCNW-RYGB+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	19	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	18.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	18.9	1.51	Rubber component
			Lead	7439-92-1	293	19.4	High melting temperature type solders
						0.65	Improved free cutting
156	LR6-402WJBW-RYGB	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	67.1	20.1	High melting temperature type solders
157	LR6-402WMBW-RYGB+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.51	Rubber component
			Lead	7439-92-1	310	20.1	High melting temperature type solders
						0.65	Improved free cutting
158	LR6-402WMNW-RYGB+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.51	Rubber component
			Lead	7439-92-1	293	19.4	High melting temperature type solders
						0.65	Improved free cutting
159	LR6-502WCBW-RYGB+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	21	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	20.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	20.9	1.51	Rubber component
			Lead	7439-92-1	314	20.1	High melting temperature type solders
						0.65	Improved free cutting
160	LR6-502WCNW-RYGB+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	21	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	20.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	20.9	1.51	Rubber component
			Lead	7439-92-1	297	19.4	High melting temperature type solders
						0.65	Improved free cutting
161	LR6-502WMBW-RYGB+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	15.9	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15.9	1.51	Rubber component
			Lead	7439-92-1	314	20.1	High melting temperature type solders
						0.65	Improved free cutting

162	LR6-502WMNW-RYGBG+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	15.9	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15.9	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15.9	1.51	Rubber component
			Lead	7439-92-1	297	19.4	High melting temperature type solders
						0.65	Improved free cutting
163	LR6-BU	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
164	LR6-BW	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
165	LR6-BW+FB295	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
166	LR6-E-B	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
167	LR6-E-B+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.04	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.04	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.04	1.51	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
168	LR6-E-BZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
169	LR6-E-C	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
170	LR6-E-C+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.04	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.04	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.04	1.51	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
171	LR6-E-G	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
172	LR6-E-G+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.04	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.04	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.04	1.51	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
173	LR6-E-GZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
174	LR6-E-MZ	Yes	Lead	7439-92-1	2.46	3.07	High melting temperature type solders
175	LR6-E-MZ+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.04	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.04	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.04	1.51	Rubber component
			Lead	7439-92-1	2.46	3.07	High melting temperature type solders
176	LR6-E-R	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
177	LR6-E-R+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.04	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.04	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.04	1.51	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
178	LR6-E-RZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
179	LR6-E-Y	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
180	LR6-E-Y+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.04	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.04	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.04	1.51	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
181	LR6-E-YZ	Yes	Lead	7439-92-1	3.98	4.28	High melting temperature type solders
182	LR6-ILWCNW	Yes	Lead	7439-92-1	80.7	21.2	High melting temperature type solders
						0.28	Improved free cutting
183	LR6-ILWMNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	80.7	21.2	High melting temperature type solders
						0.28	Improved free cutting

184	LR6-M2WJNW	Yes	2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.06	UV curing agent
			Dodecamethylcyclotetrasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.12	0.06	Photoinitiator
			Lead	7439-92-1	51.5	5.46	High melting temperature type solders
185	LR6-USBK	Yes	Lead titanium trioxide	12060-00-3	1.26	6.3	Semiconductor main component
			Lead	7439-92-1	1.4	3.07	High melting temperature type solders
186	LR6-USBW	Yes	Lead titanium trioxide	12060-00-3	1.26	6.3	Semiconductor main component
			Lead	7439-92-1	1.4	3.07	High melting temperature type solders
187	LR7-02KTNK	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	25.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	25.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	25.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
188	LR7-02KTNU	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	25.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	25.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	25.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
189	LR7-02KTNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	25.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	25.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	25.9	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
190	LR7-02WJNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	22.4	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	22.4	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	22.4	1.48	Rubber component
			Lead	7439-92-1	33.9	19.4	High melting temperature type solders
191	LR7-02WTNK	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	22.4	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	22.4	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	22.4	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
192	LR7-02WTNU	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	22.4	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	22.4	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	22.4	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
193	LR7-02WTNW	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	22.4	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	22.4	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	22.4	1.48	Rubber component
			Lead	7439-92-1	33.8	19.4	High melting temperature type solders
194	LR7-302WJNW-RYG	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	28.6	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	28.6	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	28.6	1.48	Rubber component
			Lead	7439-92-1	45.9	19.4	High melting temperature type solders
195	LR7-BK	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
196	LR7-BU	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
197	LR7-BW	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Lead	7439-92-1	17.2	20.1	High melting temperature type solders
198	LR7-E-B	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.17	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.17	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.17	1.48	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders

199	LR7-E-C	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.17	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.17	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.17	1.48	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
200	LR7-E-G	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.17	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.17	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.17	1.48	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
201	LR7-E-R	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.17	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.17	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.17	1.48	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
202	LR7-E-Y	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	2.17	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	2.17	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	2.17	1.48	Rubber component
			Lead	7439-92-1	3.98	4.28	High melting temperature type solders
203	MES-302A-RYG	Yes	Lead	7439-92-1	46.8	0.19	Improved free cutting
204	MES-402A-RYGB	Yes	Lead	7439-92-1	46.9	0.19	Improved free cutting
205	MP-302-RYG	Yes	Lead	7439-92-1	47.8	0.24	Improved free cutting
206	MP-302-RYG+FB146	Yes	Lead	7439-92-1	47.8	0.24	Improved free cutting
207	MP-302C-RYG	Yes	Lead	7439-92-1	64.9	1.18	Improved free cutting
208	MP-B	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	0.83	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	0.83	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	0.839	1.47	Rubber component
			Lead	7439-92-1	42.6	19.4	High melting temperature type solders
209	MP-B+FB216	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	0.83	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	0.83	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	0.839	1.47	Rubber component
			Lead	7439-92-1	42.6	19.4	High melting temperature type solders
210	MPS-102-R	Yes	Lead	7439-92-1	45.9	0.22	Improved free cutting
211	MPS-202-RG	Yes	Lead	7439-92-1	46.1	0.22	Improved free cutting
212	MPS-302-RYG	Yes	Lead	7439-92-1	46.2	0.22	Improved free cutting
213	MPS-302-RYG+FB146	Yes	Lead	7439-92-1	46.2	0.22	Improved free cutting
214	MPS-402-RYGB	Yes	Lead	7439-92-1	46.4	0.22	Improved free cutting
215	NE-001D	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	36.3	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	36.3	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	36.3	1.48	Rubber component
216	NE-24A-B	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	37.7	19.4	High melting temperature type solders
217	NE-24A-C	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	37.7	19.4	High melting temperature type solders
218	NE-24A-G	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	37.7	19.4	High melting temperature type solders
219	NE-24A-R	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	37.7	19.4	High melting temperature type solders

220	NE-24A-Y	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	37.7	19.4	High melting temperature type solders
221	NE-ILNB-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	9.89	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.89	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.89	1.48	Rubber component
			Lead	7439-92-1	81.2	21.2	High melting temperature type solders
						0.28	Improved free cutting
222	NE-ILNN-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	9.89	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.89	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.89	1.48	Rubber component
			Lead	7439-92-1	80.7	21.2	High melting temperature type solders
						0.28	Improved free cutting
223	NE-ILTB-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	9.89	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.89	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.89	1.48	Rubber component
			Lead	7439-92-1	81.3	21.2	High melting temperature type solders
						0.28	Improved free cutting
224	NE-ILTN-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	9.89	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.89	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.89	1.48	Rubber component
			Lead	7439-92-1	80.8	21.2	High melting temperature type solders
						0.28	Improved free cutting
225	NE-ILXB-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	9.89	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.89	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.89	1.48	Rubber component
			Lead	7439-92-1	81.3	21.2	High melting temperature type solders
						0.28	Improved free cutting
226	NE-M1ACNB-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	9.83	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	9.83	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	9.83	1.48	Rubber component
			Lead	7439-92-1	119	21.2	High melting temperature type solders
						0.28	Improved free cutting
227	NE-M1ACNN-M+FB295	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	6.92	1.51	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	6.92	1.51	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	6.92	1.51	Rubber component
			Lead	7439-92-1	118	21.2	High melting temperature type solders
						0.28	Improved free cutting
228	NE-M1ANB-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	68.8	21.2	High melting temperature type solders
229	NE-M1ANN-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	68.5	21.2	High melting temperature type solders
230	NE-M1ATB-M	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	68.8	21.2	High melting temperature type solders
231	NE-SN-USB	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	15.5	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15.5	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15.5	1.48	Rubber component
			Lead	7439-92-1	0.581	1.4	High melting temperature type solders

232	NE-ST-USB	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	15.5	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15.5	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15.5	1.48	Rubber component
			Lead	7439-92-1	0.602	1.4	High melting temperature type solders
233	NE-WN-USB	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	0.283	1.4	High melting temperature type solders
234	NE-WT-USB	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	13.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	13.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	13.9	1.48	Rubber component
			Lead	7439-92-1	0.305	1.4	High melting temperature type solders
235	NHB4-0N	Yes	Lead	7439-92-1	8.84	4.5	High melting temperature type solders
			Lead	7439-92-1	8.84	0.02	Improved free cutting
			bisphenol A	80-05-7	1.41	0.07	Polyvinyl chloride stabilizer
236	NHB4-3N-RYG	Yes	Lead	7439-92-1	20.8	4.5	High melting temperature type solders
			Lead	7439-92-1	20.8	0.02	Improved free cutting
			bisphenol A	80-05-7	19.2	0.07	Polyvinyl chloride stabilizer
237	NHB6-0N	Yes	Lead	7439-92-1	8.84	4.5	High melting temperature type solders
			Lead	7439-92-1	8.84	0.02	Improved free cutting
			bisphenol A	80-05-7	2.55	0.07	Polyvinyl chloride stabilizer
238	NHB6-3N-RYG	Yes	Lead	7439-92-1	20.8	4.5	High melting temperature type solders
			Lead	7439-92-1	20.8	0.02	Improved free cutting
			bisphenol A	80-05-7	34.5	0.07	Polyvinyl chloride stabilizer
239	NHV4-0DN	Yes	Lead	7439-92-1	99	4.5	High melting temperature type solders
			Lead	7439-92-1	99	3.45	Improved free cutting
			bisphenol A	80-05-7	1.41	0.07	Polyvinyl chloride stabilizer
240	NHV4-0DP	Yes	2-Methyl-1H-imidazole	693-98-1	2.12	0.07	Epoxy resin curing agent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.2	0.07	Photoinitiator
			Lead	7439-92-1	426	4.5	High melting temperature type solders
			Lead	7439-92-1	426	3.45	Improved free cutting
			bisphenol A	80-05-7	1.41	0.07	Polyvinyl chloride stabilizer
241	NHV4-0MN	Yes	Lead	7439-92-1	9.94	4.5	High melting temperature type solders
			bisphenol A	80-05-7	1.41	0.07	Polyvinyl chloride stabilizer
242	NHV4-0N	Yes	Lead	7439-92-1	9.94	4.5	High melting temperature type solders
			bisphenol A	80-05-7	1.41	0.07	Polyvinyl chloride stabilizer
243	NHV4-3DN-RYG	Yes	Lead	7439-92-1	111	4.5	High melting temperature type solders
			Lead	7439-92-1	111	3.45	Improved free cutting
			bisphenol A	80-05-7	19.2	0.07	Polyvinyl chloride stabilizer
244	NHV4-3DP-RYG	Yes	2-Methyl-1H-imidazole	693-98-1	2.12	0.07	Epoxy resin curing agent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.2	0.07	Photoinitiator
			Lead	7439-92-1	438	4.5	High melting temperature type solders
			Lead	7439-92-1	438	3.45	Improved free cutting
			bisphenol A	80-05-7	19.2	0.07	Polyvinyl chloride stabilizer
245	NHV4-3MN-RYG	Yes	Lead	7439-92-1	21.9	4.5	High melting temperature type solders
			bisphenol A	80-05-7	19.2	0.07	Polyvinyl chloride stabilizer
246	NHV4-3N-RYG	Yes	Lead	7439-92-1	21.9	4.5	High melting temperature type solders
			bisphenol A	80-05-7	19.2	0.07	Polyvinyl chloride stabilizer
247	NHV6-0DN	Yes	Lead	7439-92-1	99	4.5	High melting temperature type solders
			Lead	7439-92-1	99	3.45	Improved free cutting
			bisphenol A	80-05-7	2.55	0.07	Polyvinyl chloride stabilizer

248	NHV6-ODP	Yes	2-Methyl-1H-imidazole	693-98-1	2.12	0.07	Epoxy resin curing agent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.2	0.07	Photoinitiator
			Lead	7439-92-1	426	4.5	High melting temperature type solders
			Lead	7439-92-1	426	3.45	Improved free cutting
			bisphenol A	80-05-7	2.55	0.07	Polyvinyl chloride stabilizer
249	NHV6-OMN	Yes	Lead	7439-92-1	9.94	4.5	High melting temperature type solders
			bisphenol A	80-05-7	2.55	0.07	Polyvinyl chloride stabilizer
250	NHV6-ON	Yes	Lead	7439-92-1	9.94	4.5	High melting temperature type solders
			bisphenol A	80-05-7	2.55	0.07	Polyvinyl chloride stabilizer
251	NHV6-3DN-RYG	Yes	Lead	7439-92-1	111	4.5	High melting temperature type solders
			Lead	7439-92-1	111	3.45	Improved free cutting
			bisphenol A	80-05-7	34.5	0.07	Polyvinyl chloride stabilizer
252	NHV6-3DP-RYG	Yes	2-Methyl-1H-imidazole	693-98-1	2.12	0.07	Epoxy resin curing agent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.2	0.07	Photoinitiator
			Lead	7439-92-1	438	4.5	High melting temperature type solders
			Lead	7439-92-1	438	3.45	Improved free cutting
			bisphenol A	80-05-7	34.5	0.07	Polyvinyl chloride stabilizer
253	NHV6-3MN-RYG	Yes	Lead	7439-92-1	21.9	4.5	High melting temperature type solders
			bisphenol A	80-05-7	34.5	0.07	Polyvinyl chloride stabilizer
254	NHV6-3N-RYG	Yes	Lead	7439-92-1	21.9	4.5	High melting temperature type solders
			bisphenol A	80-05-7	34.5	0.07	Polyvinyl chloride stabilizer
255	PFH-BT-R	Yes	Lead	7439-92-1	3.41	1.44	High melting temperature type solders
256	PFH-BT-Y	Yes	Lead	7439-92-1	3.41	1.44	High melting temperature type solders
257	PHE-3FB3N-RYG	Yes	Lead titanium zirconium oxide	12626-81-2	1260	35.1	Semiconductor main component
			Dodecamethylcyclotetrasiloxane	540-97-6	5.77	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.77	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.77	1.48	Rubber component
			Lead	7439-92-1	84	20.1	High melting temperature type solders
						0.27	Improved free cutting
258	POLE22-0100AT	Yes	Lead	7439-92-1	91.4	0.22	Improved free cutting
259	POLE22-0300AT	Yes	Lead	7439-92-1	91.4	0.22	Improved free cutting
260	POLE22-0500AT	Yes	Lead	7439-92-1	91.4	0.22	Improved free cutting
261	POLE22-1000AT	Yes	Lead	7439-92-1	91.4	0.22	Improved free cutting
262	SF08-M1JN-G	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	4.49	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	4.5	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	4.5	1.48	Rubber component
			Lead	7439-92-1	75.4	19.4	High melting temperature type solders
263	SF08-M1JN-R	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	4.49	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	4.49	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	4.49	1.48	Rubber component
			Lead	7439-92-1	75.4	19.4	High melting temperature type solders
264	SF08-M1JN-Y	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	4.44	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	4.44	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	4.44	1.48	Rubber component
			Lead	7439-92-1	75.4	19.4	High melting temperature type solders
265	SF08-M1KTB-B	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	48.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	48.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	48.9	1.48	Rubber component
			Lead	7439-92-1	75.5	19.4	High melting temperature type solders
266	SF08-M1KTB-G	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	48.9	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	48.9	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	48.9	1.48	Rubber component
			Lead	7439-92-1	75.5	19.4	High melting temperature type solders

[illegible]

280	SF10-M1KTN-R	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			Lead	7439-92-1	75.4	19.4	High melting temperature type solders
281	SF10-M1KTN-Y	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			Lead	7439-92-1	75.4	19.4	High melting temperature type solders
282	SF10-M2KTN-R	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclotetrasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	6.6	0.04	Photoinitiator
			Lead	7439-92-1	49.8	5.46	High melting temperature type solders
283	SF10-M2KTN-Y	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclotetrasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	6.6	0.04	Photoinitiator
			Lead	7439-92-1	49.8	5.46	High melting temperature type solders
284	SKH-M1T-G	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclotetrasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.49	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
285	SKH-M1T-R	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclotetrasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
286	SKH-M1T-Y	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclotetrasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
287	SKH-M1TB-R	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclotetrasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
			Lead	7439-92-1	84.1	20.1	High melting temperature type solders
288	SKH-M1TB-Y	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclotetrasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
			Lead	7439-92-1	84.1	20.1	High melting temperature type solders
289	SKH-M2T-R	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclotetrasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.12	0.03	Photoinitiator
			Lead	7439-92-1	47.2	20.1	High melting temperature type solders

290	SKH-M2T-Y	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.12	0.03	Photoinitiator
			Lead	7439-92-1	47.2	20.1	High melting temperature type solders
291	SKH-M2TB-B	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.49	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	3	0.03	Photoinitiator
			Lead	7439-92-1	47.3	20.1	High melting temperature type solders
292	SKH-M2TB-G	Yes	bisphenol A	80-05-7	43.7	0.03	Polyvinyl chloride stabilizer
			Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.49	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	3	0.03	Photoinitiator
293	SKH-M2TB-R	Yes	Lead	7439-92-1	47.3	20.1	High melting temperature type solders
			bisphenol A	80-05-7	43.7	0.03	Polyvinyl chloride stabilizer
			Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
294	SKH-M2TB-Y	Yes	1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.5	0.03	Photoinitiator
			Lead	7439-92-1	47.3	20.1	High melting temperature type solders
			bisphenol A	80-05-7	43.7	0.03	Polyvinyl chloride stabilizer
			Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	5.48	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	5.48	1.48	Rubber component
295	SKP-M1J-R	Yes	Octamethylcyclotetrasiloxane (D4)	556-67-2	5.48	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
			Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclohexasiloxane	540-97-6	17.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	17.8	1.48	Rubber component
296	SKP-M1J-Y	Yes	Octamethylcyclotetrasiloxane (D4)	556-67-2	17.8	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
			Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclohexasiloxane	540-97-6	17.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	17.8	1.48	Rubber component

297	SKP-M2J-R	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	17.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	17.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	17.8	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.12	0.03	Photoinitiator
			Lead	7439-92-1	47.2	20.1	High melting temperature type solders
298	SKP-M2J-Y	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.27	0.03	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	17.8	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	17.8	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	17.8	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.12	0.03	Photoinitiator
			Lead	7439-92-1	47.2	20.1	High melting temperature type solders
299	SKS-M1J-B	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclohexasiloxane	540-97-6	4.49	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	4.5	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	4.5	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
300	SKS-M1J-G	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclohexasiloxane	540-97-6	4.49	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	4.5	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	4.5	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
301	SKS-M1J-R	Yes	Melamine	108-78-1	45.6	0.3	Melamine resin
			Dodecamethylcyclohexasiloxane	540-97-6	4.49	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	4.49	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	4.49	1.48	Rubber component
			Lead	7439-92-1	44.3	20.1	High melting temperature type solders
302	SL08-M1KTB-R	Yes	Dodecamethylcyclohexasiloxane	540-97-6	26.7	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	26.7	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	26.7	1.48	Rubber component
			Lead	7439-92-1	74.3	19.4	High melting temperature type solders
303	SL08-M1KTB-Y	Yes	Dodecamethylcyclohexasiloxane	540-97-6	26.7	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	26.7	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	26.7	1.48	Rubber component
			Lead	7439-92-1	74.3	19.4	High melting temperature type solders
304	SL08-M1KTN-R	Yes	Dodecamethylcyclohexasiloxane	540-97-6	26.7	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	26.7	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	26.7	1.48	Rubber component
			Lead	7439-92-1	74.2	19.4	High melting temperature type solders
305	SL08-M1KTN-Y	Yes	Dodecamethylcyclohexasiloxane	540-97-6	26.7	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	26.7	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	26.7	1.48	Rubber component
			Lead	7439-92-1	74.2	19.4	High melting temperature type solders
306	SL08-M2KTN-R	Yes	2-Benzyl-2-(N,N-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	26.7	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	26.7	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	26.7	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.62	0.04	Photoinitiator
			Lead	7439-92-1	48.6	5.46	High melting temperature type solders

307	SL08-M2KTN-Y	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	26.7	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	26.7	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	26.7	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.62	0.04	Photoinitiator
			Lead	7439-92-1	48.6	5.46	High melting temperature type solders
308	SL10-M1KTB-R	Yes	Dodecamethylcyclohexasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			Lead	7439-92-1	74.3	19.4	High melting temperature type solders
309	SL10-M1KTB-Y	Yes	Dodecamethylcyclohexasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			Lead	7439-92-1	74.3	19.4	High melting temperature type solders
310	SL10-M1KTN-R	Yes	Dodecamethylcyclohexasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			Lead	7439-92-1	74.2	19.4	High melting temperature type solders
311	SL10-M1KTN-Y	Yes	Dodecamethylcyclohexasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			Lead	7439-92-1	74.2	19.4	High melting temperature type solders
312	SL10-M2KTN-R	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.62	0.04	Photoinitiator
			Lead	7439-92-1	48.6	5.46	High melting temperature type solders
313	SL10-M2KTN-Y	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	41	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	41	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	41	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.62	0.04	Photoinitiator
			Lead	7439-92-1	48.6	5.46	High melting temperature type solders
314	SL15-M1KTN-R	Yes	Dodecamethylcyclohexasiloxane	540-97-6	121	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	121	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	121	1.48	Rubber component
			Lead	7439-92-1	74.8	19.4	High melting temperature type solders
315	SL15-M1KTN-Y	Yes	Dodecamethylcyclohexasiloxane	540-97-6	121	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	121	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	121	1.48	Rubber component
			Lead	7439-92-1	74.8	19.4	High melting temperature type solders
316	SL15-M2KTN-R	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	121	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	121	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	121	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.62	0.04	Photoinitiator
			Lead	7439-92-1	49.2	5.46	High melting temperature type solders
317	SL15-M2KTN-Y	Yes	2-Benzyl-2-(NN-dimethylamino)-1-(4-morpholinophenyl)butan-1-one	119313-12-1	0.378	0.04	UV curing agent
			Dodecamethylcyclohexasiloxane	540-97-6	121	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	121	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	121	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	2.62	0.04	Photoinitiator
			Lead	7439-92-1	49.2	5.46	High melting temperature type solders

318	SZK-001U	Yes	Lead	7439-92-1	366	0.2	Improved free cutting
319	SZP-001W	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	3.43	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.43	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.43	1.47	Rubber component
			imidazolidine-2-thione	96-45-7	38.2	0.88	Vulcanization accelerator
320	SZP-002U	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	3.48	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.48	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.48	1.47	Rubber component
			Lead	7439-92-1	208	0.2	Improved free cutting
321	SZP-003K	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	15.4	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15.4	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15.4	1.48	Rubber component
322	SZP-003U	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	15.4	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15.4	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15.4	1.48	Rubber component
323	SZP-003W	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	15.4	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	15.4	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	15.4	1.48	Rubber component
324	SZP-004W	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	3.43	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.43	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.43	1.47	Rubber component
			Lead	7439-92-1	117	0.2	Improved free cutting
325	SZP-101	Yes	Dodecamethylcyclotetrasiloxane	540-97-6	3.49	1.47	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	3.49	1.47	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	3.49	1.47	Rubber component
326	SZQ-001W	Yes	imidazolidine-2-thione	96-45-7	40	0.94	Vulcanization accelerator
327	WDB-D80S-PRO	Yes	Lead	7439-92-1	51.3	4.28	High melting temperature type solders
						3.41	Improved free cutting
328	WDR-LE-Z2-PRO	Yes	N,N-Dimethylformamide	68-12-2	60.3	0.14	Solvent for organic synthesis
			2-Methyl-1H-imidazole	693-98-1	1.6	0.07	Epoxy resin curing agent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.761	0.07	Photoinitiator
			Lead	7439-92-1	24.2	3.07	High melting temperature type solders
			Lead	7439-92-1	24.2	3.41	Improved free cutting
			bisphenol A	80-05-7	0.15	0.07	Polyvinyl chloride stabilizer
329	WDR-LE-Z2-PRO-L	Yes	N,N-Dimethylformamide	68-12-2	60.3	0.14	Solvent for organic synthesis
			2-Methyl-1H-imidazole	693-98-1	1.6	0.07	Epoxy resin curing agent
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.761	0.07	Photoinitiator
			Lead	7439-92-1	24.2	3.07	High melting temperature type solders
			Lead	7439-92-1	24.2	3.41	Improved free cutting
			bisphenol A	80-05-7	0.15	0.07	Polyvinyl chloride stabilizer
330	WDT-4LR-Z2	Yes	Lead	7439-92-1	15.5	4.28	High melting temperature type solders
						3.41	Improved free cutting
331	WDT-5LR-Z2	Yes	Lead	7439-92-1	15.5	4.28	High melting temperature type solders
						3.41	Improved free cutting
332	WDT-6LR-Z2	Yes	Lead	7439-92-1	15.5	4.28	High melting temperature type solders
						3.41	Improved free cutting
333	WDT-6LR-Z2-PRO	Yes	Lead	7439-92-1	9.44	3.41	Improved free cutting
334	WE-302-RYG	Yes	Lead	7439-92-1	12.5	3.15	High melting temperature type solders
335	WE-302FB-RYG	Yes	Anti oxidant 2246	119-47-1	0.544	0.19	plastic antioxidant
			Lead	7439-92-1	91.8	19.4	High melting temperature type solders
						0.02	Improved free cutting
336	WE-402-RYGB	Yes	Lead	7439-92-1	16.6	3.15	High melting temperature type solders

337	WE-402FB-RYGB	Yes	Anti oxidant 2246	119-47-1	0.544	0.19	plastic antioxidant
			Lead	7439-92-1	96	19.4	High melting temperature type solders
						0.02	Improved free cutting
338	WE-402UB-LAN	Yes	Lead	7439-92-1	5.01	1.98	High melting temperature type solders
			bisphenol A	80-05-7	32.7	0.16	Polyvinyl chloride stabilizer
339	WEP-302-RYG	Yes	Lead	7439-92-1	12.5	3.15	High melting temperature type solders
340	WEP-302FB-RYG	Yes	Anti oxidant 2246	119-47-1	0.544	0.19	plastic antioxidant
			Lead	7439-92-1	91.8	19.4	High melting temperature type solders
						0.02	Improved free cutting
341	WEP-402FB-RYGB	Yes	Anti oxidant 2246	119-47-1	0.544	0.19	plastic antioxidant
			Lead	7439-92-1	96	19.4	High melting temperature type solders
						0.02	Improved free cutting
342	WEP-502-RYGBC	Yes	Lead	7439-92-1	20.8	3.15	High melting temperature type solders
343	WIO-B1R	Yes	Dodecamethylcyclhexasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	20.7	9.29	High melting temperature type solders
						3.41	Improved free cutting
344	WIO-B1R-RYG	Yes	Dodecamethylcyclhexasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	32.7	9.29	High melting temperature type solders
						3.41	Improved free cutting
345	WIO-B1S-001	Yes	1,4-Dioxane	123-91-1	2.63	0.24	Solvent
			Dodecamethylcyclhexasiloxane	540-97-6	24	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	24	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	24	1.48	Rubber component
			1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	0.391	0.24	Photoinitiator
			Lead	7439-92-1	529	9.29	High melting temperature type solders
			Lead	7439-92-1	529	3.41	Improved free cutting
			bisphenol A	80-05-7	142	0.27	Polyvinyl chloride stabilizer
346	WIO-B1T	Yes	Dodecamethylcyclhexasiloxane	540-97-6	12	1.48	Rubber component
			Decamethylcyclopentasiloxane (D5)	541-02-6	12	1.48	Rubber component
			Octamethylcyclotetrasiloxane (D4)	556-67-2	12	1.48	Rubber component
			Lead	7439-92-1	17.6	4.28	High melting temperature type solders
						3.41	Improved free cutting
347	WME-402DFB-RYGB	Yes	Lead	7439-92-1	58.5	19.4	High melting temperature type solders