





IP67 im korrekt gesteckten und verriegelten Zustand bei Verwendung von M12 Mini USB Gegenstecker / Schutzkappe von Phoenix Contact (Steckschlüssel $\odot 14$ / $\odot 15$)





Montagewand mit Gewinde



Anzugsdrehmoment: 1,5-2Nm

Montagewand mit Durchgangsbohrung

Alternativ mit Fläche als Verdrehschutz



Polbild mit Sicht von Bestückungsseite des Stifteinsatzes

siehe Blatt 2

						Datum	Name	Freimaßtoleranzen nach DIN ISO 2768 - c	Technische Änderungen vorbehalten	Maßstab: 1:1
						Bearb. 2010-04-30	Thumm			
						Gepr.				
						DIN A4		Dok-Nr.:	97012368	
3	2016-02-15	Englische Seiten hinzu		Scheerer				Artikelbezeichnung:	VS-EC-MSDB SH SCOX	
2	2012-11-29	A02-12073 Mutter ausgetauscht		Thumm				Artikel-Nr.:	1239709	
1	2011-01-31	Toleranz hinzu (24.9+1/-0.5)		Thumm				Zeichnungs-Nr.:	BS-0000000BU00	
Index	Datum	Änderung		Name	Geprüft	Name		Blatt: 1 von: 4		

The copying, distribution and utilization of this document as well as the communication of the contents to others without expressed authorization is prohibited according to §18 UWG German Law. Offenders will be held liable for the payment of damages according to §19 UWG German Law. All rights reserved, in particular the right to carry out patent, utility model or ornamental design registrations.

[illegible]




						Datum	Name	Freimaßtoleranzen nach DIN ISO 2768 - c	Technische Änderungen vorbehalten	Maßstab: 4:1
						Bearb.	2010-04-30	Thumm		
						Gepr.			Dok-Nr.: 97012368	
						DIN A4		Artikelbezeichnung: VS-EC-MSDB SH SCOX		
								Artikel-Nr.: 1239709		
		siehe Blatt 1						Zeichnungs-Nr.: BS-0000000BU00		
Index	Datum	Änderung	Name	Geprüft	Name			Blatt: 2 von: 4		

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts gem §18 UWG verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz (§19 UWG). Alle Rechte vorbehalten, insbesondere das Recht, Patent-, Gebrauchsmuster- oder Geschmacksmusteranmeldungen durchzuführen.


PHOENIX CONTACT Connector Technology GmbH Heisenbergstrasse 1 D-71083 Herrenberg

The copying, distribution and utilization of this document as well as the communication of the contents to others without expressed authorization is prohibited according to §18 UWG German Law. Offenders will be held liable for the payment of damages according to §19 UWG German Law. All rights reserved, in particular the right to carry out patent, utility model or ornamental design registrations.

IP67 requires that the connector pair be correctly plugged and locked, using a Phoenix Contact M12 Mini USB mating connector or a protecting cap (nut driver  14 /  15)




mounting wall with thread



tightening torque: 1,5-2Nm


mounting wall with through hole

alternative with surface
to anti-twist protection




pin assignment with view of the
component side of the pin insert

see page 4

							date	name	general tolerance	technical changes reserved	scale
							design	2016-02-15	Scheerer	acc. to DIN ISO 2768 - c	2:1
							chk.			doc-no.:	97012368
							DIN A4		article designation:	VS-EC-MSDB SH SCOX	
									order-no.:	1440711	
									drawing-no.:	BS-0000000BU00	
edi tion	date	changes	name	checked	name						
		see page 1									

pin assignment with view of the component side of the pin insert



						date	name	general tolerance	technical changes reserved	scale
						design	2016-02-15	Scheerer	acc. to DIN ISO 2768 - c	4:1
						chk.			doc-no.:	97012368
									article designation:	VS-EC-MSDB SH SC0X
									order-no.:	1440711
									drawing-no.:	BS-0000000BU00
										page: 4
										of: 4
edi	date	see page 1	changes	name	checked	name				

