






Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.



Assembly example




General Information:

- Simplified representation, exemplary shown in gray.
- Document excluded from change process
- Units are in millimeters [mm] and degrees [°]
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2, PA plastic parts with about 2% (% by weight) moisture content.
- Web: www.phoenixcontact.com

Additional Information:



A) Mounting rail like EN 60715, TH 35-7,5 or mounting rail similar to EN 60715, TH 35-15x1,5

KIT (not mounted)				
Pos.	QTY	Description		
1	1	HOUSING LOWER PART		
2	2	FOOT CATCH		
3	1	HOUSING UPPER PART		
4	1	PLATE		
5	1	COVER		
6	2	CONNECTOR MKDSO L		
7	2	CONNECTOR MKDSO R		
 DIN A3		document-No. / RI 01371387 / 00		date 20.07.2021
				scale 1:1
		ident.-No. 1311001		
		document-type TECDOC 2D_Productdrawing		
		description BC 17,8-KIT-U22-7035+4MKDS03		
page 1 of 7				


Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.


HOUSING LOWER PART




ASSEMBLY EXAMPLE
Overall dimensions complaint DIN 43880




A-A



FOOT CATCH




WALL MOUNTING




- General Information:
- Simplified representation
 - Document excluded from change process
 - Units are in millimeters [mm] and degrees [°]
 - Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
 - Web: www.phoenixcontact.com webcode: #0311




- Additional Information:
- A. HBUS connector
 - B. PCB
 - C. Housing upper part
 - D. Cover
 - E. Mounting rail like EN 60715: TH 35-7,5 or mounting rail TH 35-15x1,5 similar to EN 60715
 - F. Plug for HBUS, (PSTD 0,65x0,65/9-H-2,54)

HOUSING LOWER PART
with FOOT CATCH
not mounted






KIT (not mounted)				
Pos.	QTY	Description	Material	
1	1	HOUSING LOWER PART	PC	
2	2	FOOT CATCH	POM	
 DIN A3		document-No. / RI 01371387 / 00	date 20.07.2021	scale 1:1
		ident.-No. 1311001	document-type TECDOC 2D_Productdrawing	
		description BC 17,8-KIT-U22-7035+4MKDS03		
		page 2	of 7	

HOUSING UPPER PART






Assembly example

Overall dimensions complaint DIN 43880



Marking area



General Information:

- Simplified representation, exemplary shown in gray.
- Document excluded from change process
- Units are in millimeters [mm] and degrees [°]
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Workpiece zero point for mechanical processing
- Tolerances for mechanical processing are ISO 2768-mK
- Tolerances for printing DIN ISO 2768-m
- Machining radii min. R1, further on request
- Web: www.phoenixcontact.com webcode: #0311

Additional Information:

- A. Housing lower part
- B. Mounting rail like EN 30715: TH 35-7,5 or mounting rail TH 35-15x1,5 similar to EN 60715
- C. Cover
- D. PCB guidance
- E. Plug for HBUS (PSTD 0,65X0,65/9-H-2,54)
- F. PCB vertical
- G. Marking area for pad printing and laser printing.
The marking area has 2mm distance from all contours of this face.
- H. Marking area for pad printing and laser printing.

Pos.	QTY	Description	Material		
1	1	HOUSING UPPER PART	PC		
	DIN A2	document-No. / RI		date	scale
		01371387 / 00		20.07.2021	1:1
		ident.-No.		document-type	
		1311001		TECDOC 2D_Productdrawing	
		description		BC 17,8-KIT-U22-7035+4MKDS03	
page 3 of 7					

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

1

2


3

4



5

6

COVER




PLATE



Assembly example

Overall dimensions complaint DIN 43880




General information:

- Simplified representation, exemplary shown in gray.
- Document excluded from change process
- Units are in millimeters [mm] and degrees [°]
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2,
- Further information: www.phoenixcontact.com webcode: #0311



Additional information:

- A. Housing lower part BC 17,8 UT HBUS...
- B. Housing upper part BC 17,8 OT...
- C. pivot point
- D. Mounting rail like EN 60715: TH 35-7,5 or mounting rail TH 35-15x1,5 similar to EN 60715
- E. Hole for sealing

KIT (not mounted)			
Pos.	QTY	Description	Material
1	1	COVER	PC
2	1	PLATE	PC
 DIN A3		document-No. / RI 01371387 / 00	date 20.07.2021
		ident.-No. 1311001	document-type TECDOC 2D_Productdrawing
page 4 of 7		description BC 17,8-KIT-U22-7035+4MKDS03	
scale 1:1			

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.








General tolerances:
dimensions ≤ 30: ±0,1/R±0,2/±1°
dimensions > 30: ±0,15/R±0,2/±1°
symmetry: 0,2


General Information			
- Simplified representation, exemplary shown in gray			
- Restricted area			
- Document excluded from change process			
- CAD Data see Download-Center on www.phoenixcontact.com			
- When using this connection technology in housing systems from Phoenix Contact see the appropriate documentation.			
- Linear dimensions [mm]			
- Tolerances, apply in a normal climate according to DIN 50014-23/50-2, with about 2% (% by weight) moisture content.			
	DIN A3		document-No. / RI
	01371387 / 00		date
			20.07.2021
page 5 of 7	ident.-No.		scale
	1311001		2:1
		document-type	
		TECDOC 2D_Productdrawing	
		description	
		BC 17,8-KIT-U22-7035+4MKDS03	

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.



recommended PCB drilling plan
view: component side



General tolerances:


dimensions ≤ 30 : $\pm 0,1/R \pm 0,2/\pm 1^\circ$

dimensions > 30 : $\pm 0,15/R \pm 0,2/\pm 1^\circ$



symmetry: 0,2

General Information

- Simplified representation, exemplary shown in gray
- Restricted area
- Document excluded from change process
- CAD Data see Download-Center on www.phoenixcontact.com
- When using this connection technology in housing systems from Phoenix Contact see the appropriate documentation.
- Linear dimensions [mm]
- Tolerances, apply in a normal climate according to DIN 50014-23/50-2, with about 2% (% by weight) moisture content.

 DIN A3		document-No. / RI 01371387 / 00		date 20.07.2021	scale 2:1
		ident.-No. 1311001	document-type TECDOC 2D_Productdrawing		
		description BC 17,8-KIT-U22-7035+4MKDS03			
page 6 of 7					

BC 17,8 MKDSO 2,5/3 5,0 HBUS



- Simplified representation
- Document excluded from change process
- CAD data see Download-Center on www.phoenixcontact.com
- TOP SIDE: Mounting side for headers
- General tolerances: dimensions ≤ 30 : $\pm 0,1/R \pm 2/\pm 1^\circ$
dimensions > 30 : $\pm 0,15/R \pm 2/\pm 1^\circ$
symmetry: 0,2

- Restricted area
- Linear dimensions [mm]
- undimensioned radii R1,2

- A) Terminal area for:
MKDSO 2,5/ 3-L
- B) Terminal area for:
MKDSO 2,5/ 3-R
- C) Area and drillings for optional terminal strip.
- D) Terminal strip to contact HBUS... max. 2x9-pole
□0,63x0,63mm or Ø0,7-0,8mm
pitch 2,54mm
Surface: Au

 DIN A2	document-No. / RI		date	scale
	01371387 / 00		20.07.2021	2:1
	ident.-No.	document-type		
	1311001	TECD0C_2D_Productdrawing		
description		BC 17,8-KIT-U22-7035+4MKDS03		
page 7	of 7			