


A

B

C

D




General Information:

- Simplified representation, exemplary shown in gray.
- Document excluded from change process
- Units are in millimeters [mm] and degrees [°]
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2.
- Web: www.phoenixcontact.com webcode:#0551


Additional Information:

A) Mounting rail like EN 60715, TH 35-7,5 or mounting rail similar to EN 60715, TH 35-15x1,5



1:2

Assembly example



A


B

C

D

KIT (not mounted)

Pos.	QTY	Description
1	1	EH 22,5 F-BASE with EH SNAP LOCK
2	1	EH 22,5-COVER
3	2	MKDS 3/ 4-5,08



document-No. / RI
01376895 / 02

date
12.07.2021

scale
1:1



ident.-No.
1311033

document-type
TECDOC 2D_Productdrawing

description
EH 22,5 - KIT - FB+CDS/ABS-PC-7035 +

page 1 of 4

1





2

3

4

5

6








General Information
1. EH 22,5 FL BASE
2. EH SNAP LOCK

- Simplified representation
- Document excluded from change process
- CAD Data see Download-Center on www.phoenixcontact.com
- Linear dimensions [mm]
- Tolerances, apply in a normal climate according to DIN 50014-23/50-2

 DIN A3		document-No. / RI 01376895 / 02		date 12.07.2021	scale 1:1
		ident.-No. 1311033		document-type TECDOC 2D_Productdrawing	
		description EH 22,5 - KIT - FB+CDS/ABS-PC-7035 +			
		page 2		of 4	

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.



- General Information
- ⊕ = workpiece zero point for mechanical processing
 - Simplified representation
 - Document excluded from change process
 - CAD Data see Download-Center on www.phoenixcontact.com
 - Linear dimensions [mm]
 - Tolerances, apply in a normal climate according to DIN 50014-23/50-2

 DIN A3	document-No. / RI		date	scale
	01376895 / 02		12.07.2021	1:1
	ident.-No.	document-type		
	1311033	TECDOC 2D_Productdrawing		
page 3 of 4		description		
		EH 22,5 - KIT - FB+CDS/ABS-PC-7035 +		

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

1

2

3

4

5

6

position 1

2,54 ±0,1

5,08 ±0,1

a

w

position 1

5,3

footprint
for information only

Ø 1,3

P ±0,2

18 ±0,2

5,3 ±0,1

11,2 ±0,15

A-A

10:1

□ 0,9 ±0,05

pos.	dim. a	dim. w
2	5,08 ±0,10	10,16 ±0,15
3	10,16 ±0,15	15,24 ±0,15
4	15,24 ±0,15	20,32 ±0,20
5	20,32 ±0,20	25,40 ±0,20
6	25,40 ±0,20	30,48 ±0,20
7	30,48 ±0,20	35,56 ±0,20
8	35,56 ±0,20	40,64 ±0,20
9	40,64 ±0,20	45,72 ±0,20
10	45,72 ±0,20	50,80 ±0,25
11	50,80 ±0,25	55,88 ±0,25
12	55,88 ±0,25	60,96 ±0,25
13	60,96 ±0,25	66,04 ±0,25
14	66,04 ±0,25	71,12 ±0,25
15	71,12 ±0,25	76,20 ±0,25
16	76,20 ±0,25	81,28 ±0,40
17	81,28 ±0,40	86,36 ±0,40
18	86,36 ±0,40	91,44 ±0,40
19	91,44 ±0,40	96,52 ±0,40
20	96,52 ±0,40	101,60 ±0,40
21	101,60 ±0,40	106,68 ±0,40
22	106,68 ±0,40	111,76 ±0,40
23	111,76 ±0,40	116,84 ±0,40
24	116,84 ±0,40	121,92 ±0,50
25	121,92 ±0,50	127,00 ±0,50
26	127,00 ±0,50	132,08 ±0,50
27	132,08 ±0,50	137,16 ±0,50
28	137,16 ±0,50	142,24 ±0,50
29	142,24 ±0,50	147,32 ±0,50
30	147,32 ±0,50	152,40 ±0,50

 DIN A3 	document-No. / RI	date	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm] - EN ISO 291 23/50
	01376895 / 02	12.07.2021	5:1	
page 4 of 4	document-type			description
	TECDCOC 2D_Productdrawing			
EH 22,5-KIT-FB+CDS/ABS-PC-7035+2MKDS34				

1

2

3

4

5

6