




Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.


Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauabfertigung des Spiel ist in den Toleranzangaben nicht berücksichtigt.




A-A



B-B



Front view without cover



General Information:

- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Mechanical processing and printing on request
- Tolerances for mechanical processing are ISO 2768-mk
- Tolerances for printing DIN ISO 2768-m
- Machining radii min. R1.5, further on request
- Web: www.phoenixcontact.com webcode: #3229

Additional Information:

- A. PCB (t=1.6), further information see download area
- B. Guidance for OCS CORNER MOUNTING
- C. Hole for safety lock
- D. Mounting points for PCBs and components. For mounting please use OCS MOUNT SCREW SET.

Pos.	QTY	Description	Material
1	1	HOUSING	PC
2	1	COVER (GY7035)	PC
3	2	SNAP	PC
4	4	CORNER MOUNTING	PC,BRASS
5	4	CORNER SREW (not mounted)	SSTL
6	4	FILLER PLUG (not mounted)	PE-LD
7	1	LABEL	PCV
8	1	UL-LABEL	PAP

 DIN A2		document-no. / ri	article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
		01501836 / 02	1471773	1:2	
		date	document-type	description	
		03.07.2025			
page 1	of 3	OCS HP 100806 GY7035			

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

Additional accessoires

Application with OCS FOOT SET

Position 0°

(220)
(174)
(22)

(301,6)
(273)
(8,4)

1

Position 45°

(255,5)
(208)

(306,5)
(259)

Position 90°

(250,6)
(222)

(271)
(225)

Application with OCS POLEFIX 1008

Assembly example

(197)
(174)

(326,4)
(225)

2

Application with OCS MOUNT 1008 SET

(194,5)
(174)
(153,2)

(301)
(273)
(225)
(8,5)

3

General Information:

- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2

- Web: www.phoenixcontact.com webcode: #3249

Pos.	Description	Item number
1	OCS FOOT SET	1471777
2	OCS MOUNT 1008 SET	1471781
3	OCS POLEFIX 1008	1476924

DIN A2

PHOENIX CONTACT

document-no. / ri

01501836 / 02

article-no.

1471773

date

03.07.2025

document-type

description

OCS HP 100806 GY7035

scale



1:5

- Simplified representation
Document excluded
from change process
- Linear dimensions [mm]

page 2 of 3

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.



General Information:

- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Web: www.phoenixcontact.com webcode: #3249

Additional Information:

- A. PCB (t=1,6), PCB is shown in last position
- B. Guidance für OCS CORNER MOUNTING, further positions in the grid possible
- C. OCS Panel is shown at first position

Pos.	Description	Item-number
1	OCS PANEL 1008	1471785
2	OCS CORNER SET	1471789

 DIN A3		document-no. / ri 01501836 / 02		article-no. 1471773	scale 1:2	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
		date 03.07.2025	document-type			
page 3 of 3		description OCS HP 100806 GY7035				