






Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadensersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.



Front view without cover



General Information:

- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Mechanical processing and printing on request
- Tolerances for mechanical processing are ISO 2768-mk
- Tolerances for printing DIN ISO 2768-m
- Machining radii min. R1,5, further on request
- Web: www.phoenixcontact.com

Additional Information:

- A. PCB (t=1,6), further information see download area
- B. Guidance for OCS CORNER MOUNTING
- C. Hole for safety lock
- D. Mounting points for PCBs and components. For mounting please use OCS MOUNT SCREW SET.

Pos.	QTY	Description	Material
1	1	HOUSING	PC
2	1	COVER (GY7035)	PC
3	2	SNAP	PC
4	4	CORNER MOUNTING	PC,BRASS
5	4	CORNER SREW (not mounted)	SSTL
6	4	FILLER PLUG (not mounted)	PE-LD
7	1	LABEL	PVC
8	1	UL-LABEL	PAP


 DIN A2	document-no. / ri		article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm]	
	01492308 / 02		1471775	1:2		
	date	document-type				
	03.07.2025					
page 1	of 3		description			OCS HP 121006 GY7035

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.


Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

Additional accessories


Application with OCS FOOT SET




Application with OCS POLEFIX 1210



Assembly example



Application with OCS MOUNT 1210 SET



General Information:
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Web: www.phoenixcontact.com webcode: #3249

Pos.	Description	Item number
1	OCS FOOT SET	1471777
2	OCS POLEFIX 1210	1476926
3	OCS MOUNT 1210 SET	1471782



	DIN A2	document-no. / ri	article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
	PHOENIX CONTACT	01492308 / 02	1471775	15	
date	document-type				
03.07.2025					
description		OCS HP 121006 GY7035			
page 2	of 3				

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

Additional accessories

Application with OCS PANEL 1210 and OCS CORNER SET




General Information:

- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Web: www.phoenixcontact.com webcode: #3249

Additional Information:

- A. PCB (t=1,6), PCB is shown in last position
- B. Guidance for OCS CORNER MOUNTING, further positions in the grid possible
- C. OCS Panel is shown at first position

Pos.	Description	Item-number
1	OCS PANEL 1210	1471786
2	OCS CORNER SET	1471789

 DIN A3		document-no. / ri 01492308 / 02		article-no. 1471775	scale 1:2	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
		date 03.07.2025	document-type			
page 3 of 3		description OCS HP 121006 GY7035				