







Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

HOUSING UPPER PART








- General Information:
- Simplified representation, exemplary shown in gray.
 - Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
 - Workpiece zero point for mechanical processing
 - Tolerances for mechanical processing are ISO 2768-mK
 - Tolerances for printing DIN ISO 2768-m
 - Machining radii min. R1, further on request
 - Web: www.phoenixcontact.com

- Additional Information:
- A. Position PCB 9 or position plate
 - B. PCB guidance for vertical PCB

Pos.	QTY	Description	Material
1	1	HOUSING UPPER PART	PC

	DIN A3	document-no. / ri	article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
		01588220 / 00	1538930	1:1	
		date	document-type		
		30.04.2024	TECDOC 2D_Productdrawing		
page 1	of 3	description			
		BC 53,6 OT 1P1P KMGY			

Marking area




General Information:

-  Workpiece zero point for mechanical processing
- Tolerances for mechanical processing are ISO 2768-mK
- Tolerances for printing DIN ISO 2768-m
- Machining radii min. R1, further on request
- Web: www.phoenixcontact.com



Additional information:

A. Max.marking area left and right for pad printing and laser printing

 DIN A3		document-no. / ri 01588220 / 00	article-no. 1538930	scale 1:1	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
		date 30.04.2024	document-type TECDOC 2D_Productdrawing		
		description BC 53,6 OT 1P1P KMGY			
page 2	of 3				





Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadensersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.



Assembly example

Overall dimensions compliant DIN 43880



Additional information:

- A. Housing lower part
- B. PCB 1 (main PCB)
- C. PCB terminal block SPT-THR 4-pin
- D. Filler plug
- E. Cover
- F. Position PCB 9 or position plate
- G. Example: Header for HBUS16 (PSTD 0,65X0,65/9-2,54)
Alternative: Header for HBUS8 or non possible
- H. PCB guidance for vertical PCB 11
- I. Mounting rail like EN 60715: TH 35-7,5 or
mounting rail TH 35-15x1,5 similar to EN 60715

 DIN A2	document-no. / n°	article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm]	
	01588220 / 00	1538930	1:1		
	date	document-type	description		
	30.04.2024	TECDOC 2D_Productdrawing			
page 3	of 3	BC 53,6 OT 1P1P KMGY			