




Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauabfertigungsspiel ist in den Toleranzangaben nicht berücksichtigt.

Pos.	QTY	Description	Material
1	1	HOUSING	PC
2	1	COVER (GY7035)	PC
3	3	SNAP	PC
4	4	CORNER MOUNTING	PC,BRASS
5	4	CORNER SREW (not mounted)	SSTL
6	4	FILLER PLUG (not mounted)	PE-LD
7	1	LABEL	PVC
8	1	UL-LABEL	PAP

- General Information:
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
 - Workpiece zero point for mechanical processing
 - Tolerances for mechanical processing are ISO 2768-mK
 - Tolerances for printing DIN ISO 2768-m
 - Machining radii min. R1, further on request
 - Web: www.phoenixcontact.com

Front view without cover

- Additional Information:
- A. PCB (t=1,6), further information see download area
 - B. Guidance for OCS CORNER MOUNTING
 - C. Hole for safety lock
 - D. Mounting points for PCBs and components. For mounting please use OCS MOUNT SCREW SET
 - E. For information on marking and machining areas, see sheet 5+6

 DIN A2	document-no. / ri		article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
	01673633 / 02		1557792	1:2	
	date	document-type			
	13.01.2025	TECDOC 2D_Productdrawing			
description		OCS HP 161408 GY7035			
page 1		of 5			

A





B

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.



Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

Additional accessories


Application with OCS FOOT SET





Application with OCS POLEFIX 1614



Assembly example



Application with OCS MOUNT 1614 SET



General Information:
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Web: www.phoenixcontact.com

Pos.	Description	Item number
1	OCS FOOT SET	1471777
2	OCS POLEFIX 1614	1562151
3	OCS MOUNT 1614 SET	1562132

	DIN A2		document-no. / ri	article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions [mm]	
			01673633 / 02	1557792	1:5		
			date	document-type	description		
			13.01.2025	TECDOC 2D_Productdrawing			
page 2 of 5		OCS HP 161408 GY7035					

A

B

C


D

E

F

Additional accessories

Application with OCS PANEL 1614 and OCS CORNER SET/ OCS HINGED CORNER SET



Partiial view
1:2
section C-C

General Information:

- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
- Web: www.phoenixcontact.com

Additional Information:

- A. PCB (t=1,6), PCB is shown in last position
- B. Guidance for OCS CORNER MOUNTING, further positions in the grid possible
- C. OCS Panel is shown at first position




Pos.	Description	Item-number
1	OCS PANEL 1614	1562144
2	OCS CORNER SET	1471789
3	OCS HINGED CORNER SET	1557904

 DIN A2	document-no. / ri	article-no.	scale	- Simplified representation - Document excluded from change process - Linear dimensions (mm)	
	01673633 / 02	1557792	1:2		
	date	document-type			
	13.01.2025	TECDOC 2D_Productdrawing			
description		OCS HP 161408 GY7035			
page 3 of 5					



Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

MACHINING AREAS








- General Information:
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
 -  Workpiece zero point for mechanical processing
 - Tolerances for mechanical processing are ISO 2768-mK
 - Tolerances for printing DIN ISO 2768-m
 - Machining radii min. R1,5, further on request
 - Web: www.phoenixcontact.com

 DIN A3		document-no. / ri 01673633 / 02		article-no. 1557792		scale 1:5		- Simplified representation - Document excluded from change process - Linear dimensions [mm]
		date 13.01.2025		document-type TECDOC 2D_Productdrawing				
		description						
		OCS HP 161408 GY7035						
page 4		of 5						


Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations. Tolerance specifications do not include clearances inherent in the design.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten. Bauartbedingtes Spiel ist in den Toleranzangaben nicht berücksichtigt.

MARKING AREAS



- General Information:
- Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2
 -  Workpiece zero point for mechanical processing
 - Tolerances for mechanical processing are ISO 2768-mK
 - Tolerances for printing DIN ISO 2768-m
 - Machining radii min. R1,5, further on request
 - Web: www.phoenixcontact.com

 DIN A3		document-no. / ri 01673633 / 02	article-no. 1557792	scale 1:5	- Simplified representation - Document excluded from change process - Linear dimensions [mm]
		date 13.01.2025	document-type TECDOC 2D_Productdrawing		
		description OCS HP 161408 GY7035			
page 5	of 5				