












- General Information:
- Simplified representation
 - Document excluded from change process
 - Linear dimensions [mm]
 - Tolerances apply in a normal climate according to DIN EN ISO 291-23/50-2.
 - Further information: www.phoenixcontact.com
 - Webcode: #0855
 - Minimum radii for mechanical processing R=1,2

 =workpiece zero point for mechanical processing

- A. Cut-out for display
- B. Area for keypad
- C. Cut-out for keypad
- D. Screw domes for housing screws
- E. Attachment point for second PCB with self tapping screws Ø2x5,5 (screws not included)
- F. Phillips recessed head PH 1
- G. PCB main position (t=1,5)
- H. PCB second position (t=1,5)
- I. PCB second D position, if a display and fastening equipment from Phoenix Contact is used (t=1,5)

KIT		
HCS-T MINI 1W C C C		
Pos.	QTY	Description
1	1	HOUSING FRONT (ABS)
2	1	HOUSING REAR (ABS)
3	6	SCREW ISO 7049-S12,9x13 C H

 DIN A1	document-No. / RI		date	scale
	00953518 / 03		06.10.2017	1:
 PHOENIX CONTACT	ident.-No.	document-type		
	2203131	TECD0C_2D_Productdrawing		
description		HCS-T MINI 1W C C C 7035		
page 1	of 4			



Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadensersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

HCS-T MINI PCB MAIN



General Information

- Document excluded from change process
- CAD Data see Download-Center on www.phoenixcontact.com
- Linear dimensions [mm]
- General tolerances PCB: dimensions ≤ 30 : $\pm 0,1/R \pm 0,2/\pm 1^\circ$
dimensions > 30 : $\pm 0,15/R \pm 0,2/\pm 1^\circ$
symmetry: 0,2
- Restricted area 
- Thickness= 1,4-1,8
- Component mounting area on top side: 10130mm²
- Component mounting area on bottom side: 10070mm²

 DIN A3		document-No. / RI 00953518 / 03		date 06.10.2017	scale 1:1
		ident.-No. 2203131	document-type TECDOC 2D_Productdrawing		
		description HCS-T MINI 1W C C C 7035			
		page 2 of 4			




Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

 DIN A3		document-No. / RI 00953518 / 03	date 06.10.2017	scale 1:1
		ident.-No. 2203131	document-type TECDOC 2D_Productdrawing	
page 3 of 4		description HCS-T MINI 1W C C C 7035		


Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent is granted. Violations give rise to claims for damages. All rights reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

HCS-T MINI PCB SECOND D



- General Information
- Document excluded from change process
 - CAD Data see Download-Center on www.phoenixcontact.com
 - Linear dimensions [mm]
 - TOP SIDE: Mounting side for display
 - General tolerances PCB: dimensions ≤ 30 : $\pm 0,1/R \pm 0,2/\pm 1^\circ$
dimensions > 30 : $\pm 0,15/R \pm 0,2/\pm 1^\circ$
symmetry: 0,2
 - Restricted area
 - Thickness= 1,4-1,8
 - Component mounting area on top side: 6400mm²
 - Component mounting area on bottom side: 10110mm²
 - A. Restricted area for display: D L 2,8 64X 8

 DIN A3		document-No. / RI 00953518 / 03	date 06.10.2017	scale 1:1
		ident.-No. 2203131	document-type TECDOC 2D_Productdrawing	
		description HCS-T MINI 1W C C C 7035		
page 4	of 4			