




Transfer or duplication of this document as well as the utilisation or communication of its content are not permitted unless express consent has been granted by Phoenix Contact. All rights are reserved in case of patent, utility model or design patent registrations.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

DCS 15,0 PCB MAIN

TOP SIDE

General Information

- Document excluded from change process
- CAD Data see Download-Center on www.phoenixcontact.com
- Linear dimensions [mm]
- TOP SIDE: Mounting side for headers
- BOTTOM SIDE: Soldering side for headers
- General tolerances PCB: dimensions ≤ 30 : $\pm 0,1/R \pm 0,2/\pm 1^\circ$
dimensions > 30 : $\pm 0,15/R \pm 0,2/\pm 1^\circ$
symmetry: 0,2

Additional Information:

- Restricted area
- Thickness= 1,4-1,8

A. Restricted area for screws for DCS D-FIX 15,0 from Phoenix Contact

B. Restricted area for DCS ADAPT CONNECT from Phoenix Contact

C. Optional restricted area for additional fixation with screws

DIN A1	document-No. / RI 01020565 / 03	date 17.10.2017	scale 1:1
	ident.-No. 2203191	document-type TECDOC 2D_Productdrawing	
page 2 of 3	description DCS 15 M C O S C 7035		

DCS 15,0 PCB MAIN

TOP SIDE

General Information

- Document excluded from change process
- CAD Data see Download-Center on www.phoenixcontact.com
- Linear dimensions [mm]
- TOP SIDE: Mounting side for headers
- BOTTOM SIDE: Soldering side for headers
- General tolerances PCB: dimensions ≤ 30 : $\pm 0,1/R \pm 0,2/\pm 1^\circ$
dimensions > 30 : $\pm 0,15/R \pm 0,2/\pm 1^\circ$
symmetry: 0,2

Additional Information:

-  Restricted area
- Thickness= 1,4-1,8

A. Restricted area for screws for DCS D-FIX 15,0 from Phoenix Contact

B. Restricted area for DCS ADAPT CONNECT from Phoenix Contact

C.  Optional restricted area for additional fixation with screws

 DIN A1	document-No. / RI 01020565 / 03	date 17.10.2017	scale 1:1
	ident.-No. 2203191	document-type TECDOC 2D_Productdrawing	
page 2 of 3	description DCS 15 M C O S C 7035		

DCS 15,0 PCB MAIN

TOP SIDE

General Information

- Document excluded from change process
- CAD Data see Download-Center on www.phoenixcontact.com
- Linear dimensions [mm]
- TOP SIDE: Mounting side for headers
- BOTTOM SIDE: Soldering side for headers
- General tolerances PCB: dimensions ≤ 30 : $\pm 0,1/R \pm 0,2/\pm 1^\circ$
dimensions > 30 : $\pm 0,15/R \pm 0,2/\pm 1^\circ$
symmetry: 0,2

Additional Information:

-  Restricted area
- Thickness= 1,4-1,8

A. Restricted area for screws for DCS D-FIX 15,0 from Phoenix Contact

B. Restricted area for DCS ADAPT CONNECT from Phoenix Contact

C.  Optional restricted area for additional fixation with screws

Transfer or duplication of this document as well as the utilization or communication of its content are not permitted unless express consent is granted. Information may be used to design, produce, or improve in scope of patent, utility model or design patent legislation.

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Alle Angaben sind ohne Gewähr. Die Haftung für Schäden bleibt unberührt.

document-No. / RI	date	scale
01020565 / 03	17.10.2017	1:1

ident.-No.	document-type
2203191	TECDOC 2D_Productdrawing

page 2 of 3

DCS 15 M C O S C 7035

DIN A1	document-No. / Rl		date	scale
	01020565 / 03		17.10.2017	1:1
	ident.-No.	document-type		
	2203191	TECDOC 2D_Productdrawing		
description		DCS 15 M C O S C 7035		
page 2	of 3			

